

Toll free: 888.550.1999 Phone: 419.594.3210 Fax: 419.594.3213

22700 St. Rt. 613 Oakwood, OH 45873 Email: Info@Strawblanket.com

www.strawblanket.com

S2000BD Double Net Straw Blanket

| Contents: | Weed free straw |
|-----------------------|---------------------------------------|
| Netting: | Double jute, Leno weave Biodegradable |
| Thread: | Biodegradable |
| Standard Roll Size: | 100.0 sq yards/ 83.6 sq meters |
| Standard Width: | 8.00 feet/ 2.44 meters |
| Functional Longevity: | 12 – 24 months |
| Best Use: | 2:1 slopes, Medium-flow, roadways |

S2000BD is a fully Biodegradable blanket. The netting is made from Double jute, Leno weave. The thread is Biodegradable, while the filament of matrix is weed free straw.

Blankets can be produced from 50 SY to 1,000 SY and be from 4 ft. to 16 ft. wide.

As described in Federal Highway Administration's Standard Specification FP-03 in Section 713.17 and as described by ECTC as a Type 2.D.



| Test Method Description | Standard Testing |
|---|------------------|
| Mass/Unit Area ASTM D 6475 | 11.05 oz/ sq yd |
| Tensile Strength –MD ASTM D 6818 | 75 lbs/ft* |
| Tensile Strength –TD ASTM D 6818 | 75 lbs/ft* |
| Thickness ASTM D 6525 | 0.25+ inches* |
| Light Penetration ASTM D 6567 | 14.0%% |
| Water Absorption ASTM D 1117, ECTC TASC 00197 | 411%% |
| Elongation –MD ASTM D 6818 | 17.7 lb/in% |
| Elongation –TD ASTM D 6818 | 14.5 lb/in% |
| C Factor | <0.20@2:1* |
| Permissible Shear Stress | 1.75 lbs/ft.* |
| Permissible rate of flow | 6 ft/s* |

Enviroscape ECM certifies that the above criteria is met by this specified product and that is meets requirements as described in the Federal Highway Administration's Standard Specification FP-03 in Section 713.17 and as described by ECTC as a Type 2.D.

*MARV-Minimum Average Roll Value. Actual manufactured MARV's meet or exceed above stated values.

This document may also be downloaded at http://www.strawblanket.com/S2000BDMaterialSpec.pdf



